

ENYO SERIES (EU)



ENYO (EU)

Material: Aluminum forging heatsink with anodized black finish, plastic baffle with liquid coating or plating finish, aluminum die casting trim with powder coating finish.

Shape



Round
130



Round
170

Mountings



Recessed
Trim




Recessed
Trimless

Light distributions



Adjustable



Color available - A / C / D

Black White

B
Black White Piano black Chrome

ENYO








Different sizes of the snoot to provide different functions.

The upgraded version of the ENYO series, with 0~30 degree tilt angle and 0~355 degree rotation angle create better lighting performance. Different accessories add to meet diverse lighting effects.

ENYO-128-RTA



Article number	1618.160
LED Consumption	26W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+

**Dimmable**




h (m)	D (m)	E (lx)
	35°	
1.0	0.67	3501
2.0	1.34	875
3.0	2.02	388
4.0	2.69	218
5.0	3.37	140

AccessoriesSG10-1
Woven glassH13-1
Honeycomb louver

ENYO-128-RTAS



Article number	1618.164
LED Consumption	26W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+

**Dimmable**



h (m)	D (m)	E (lx)
	35°	
1.0	0.59	3584
2.0	1.19	895
3.0	1.79	398
4.0	2.39	224
5.0	2.99	143

AccessoriesSG10-1
Woven glassH13-1
Honeycomb louver

ENYO-128-RTAL



Article number	1618.162
LED Consumption	26W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+

**Dimmable**

h (m)	D (m)	E (lx)
	35°	
1.0	0.57	3575
2.0	1.15	893
3.0	1.72	397
4.0	2.30	223
5.0	2.87	143

AccessoriesSG10-1
Woven glassH13-1
Honeycomb louver

ENYO-128-RTLA




Article number	1618.237
LED Consumption	26W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+

ENYO-128-RTLAS







Article number	1618.241
LED Consumption	26W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+





ENYO-128-RTLAL








Article number	1618.239
LED Consumption	26W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+

**Dimmable****Accessories**

SG10-1 Woven glass
H13-1 Honeycomb louver

**Dimmable****Accessories**

SG10-1 Woven glass
H13-1 Honeycomb louver

**Dimmable****Accessories**

SG10-1 Woven glass
H13-1 Honeycomb louver

ENYO-168-RTA



Article number	1618.161
LED Consumption	40W
Current	1050 (mA)
Lumen	4058 (lm)
Beam Angle	15°/24°/38°/55°
CCT	3000K
CRI	90+

ENYO-168-RTAS













Article number	1618.165
LED Consumption	40W
Current	1050 (mA)
Lumen	4058 (lm)
Beam Angle	15°/24°/35°/55°
CCT	3000K
CRI	90+

ENYO-168-RTAL



Article number	1618.163
LED Consumption	40W
Current	1050 (mA)
Lumen	4058 (lm)
Beam Angle	15°/24°/35°/50°
CCT	3000K
CRI	90+

**Dimmable****Accessories**SG10-2
Woven glassH13-2
Honeycomb louver**Dimmable****Accessories**SG10-2
Woven glassH13-2
Honeycomb louver**Dimmable****Accessories**SG10-2
Woven glassH13-2
Honeycomb louver

ENYO-168-RTLA



Article number	1618.238
LED Consumption	40W
Current	1050 (mA)
Lumen	4058 (lm)
Beam Angle	15°/24°/38°/55°
CCT	3000K
CRI	90+

ENYO-168-RTLAS














Article number	1618.242
LED Consumption	40W
Current	1050 (mA)
Lumen	4058 (lm)
Beam Angle	15°/24°/35°/55°
CCT	3000K
CRI	90+

ENYO-168-RTLAL



Article number	1618.240
LED Consumption	40W
Current	1050 (mA)
Lumen	4058 (lm)
Beam Angle	15°/24°/35°/50°
CCT	3000K
CRI	90+

**Dimmable****Accessories**SG10-2
Woven glassH13-2
Honeycomb louver**Dimmable****Accessories**SG10-2
Woven glassH13-2
Honeycomb louver**Dimmable****Accessories**SG10-2
Woven glassH13-2
Honeycomb louver